



SCBA & Life Safety



SUMMARY

Table of Contents.....	2
Company Overview.....	3
Chart: CGA Selection by Gas Service	4

LPG/PROPANE & PROPYLENE

LPG/Propane Cylinders.....	
Propylene Cylinders.....	
Valves & Components.....	
Replacement Parts.....	

INDUSTRIAL & WELDING

Cylinders.....	
High Pressure Aluminum.....	
High Pressure Steel.....	
Breathing Air.....	
Acetylene.....	
CO2.....	
Cryogenic Liquid & Dewars.....	
Propylene.....	

Valves

Chart: Valve Part Number Designation

Acetylene.....	
Breathing Air.....	
CO2.....	
Cryogenic.....	
HVAC.....	
Hydrogen.....	
Industrial.....	
Inert Gases.....	
Medical Mix & Post Valves (see Medical Section).....	
Nitrous Oxide.....	
Oxygen Service Valves.....	
Propylene (see LPG Section).....	
RPV Valves.....	
Sulfur Hex.....	
Refrigerant.....	

INDUSTRIAL & WELDING (continued)

Regulators.....	
CO2.....	
Medical Oxygen (See Medical Section).....	
Nitrogen.....	
Parts & Assemblies.....	
HVAC, Welding & Oxygen.....	
O-Rings, Safeties & Valve Replacement Parts.....	
O-Rings.....	
Replacement Parts.....	
Carry Handles.....	

Chart: Safeties (PRD) Selection

Chart: ISO vs. DOT High Pressure Cylinders

MEDICAL

Cylinders & Cylinder Carts.....	
Valves & Post Valves.....	
Medical Regulators.....	

BEVERAGE

Kegs.....	
Ball Lock & Pin Lock.....	
Sankey & Pumps.....	
CO2 & Nitrogen/Beer Mix Cylinders.....	
Beverage Regulators.....	
Keg Components & Parts.....	
Brewing Equipment.....	
Brewing Kettles & Pots.....	
Kegging Kits.....	

SCBA & LIFE SAFETY..... 5-9

SCBA Cylinders.....	6
SCBA Valves.....	7
Fire Extinguishers.....	8-9

SERVICES..... 10-12

Propane/LPG Cylinders & Services.....	11
Cylinder Recertification & Recycling.....	12

TERMS AND CONDITIONS..... 13-16



Company Overview

All Safe Global, Inc. is a Minneapolis, MN-based master distributor of equipment and accessories for compressed gas delivery, beverage production, and fire suppression. The company provides a broad selection of services and hard goods to multiple end-use gas markets.

All Safe Global, Inc. has been serving U.S. and select international markets since 1976. The company is a leading, nationally recognized DOT test facility and compressed gas equipment supplier, with a robust combination of service capabilities and a large inventory for rapid order fulfillment and quick turnaround.

The company's mission is to be the premier provider of value-driven, high-quality gas and liquid delivery solutions by excelling at global sourcing, fulfillment, and customer service. All Safe Global pledges to provide customers with a competitive advantage through its large-scale operations, distinctive products and services, and extensive supply chain.

Benefits of Working with All Safe Global

1. Exclusive product lines and unique product combinations
2. Quick order turnaround
3. Cost advantages through volume purchasing power and value-driven supply chain
4. Global fulfillment capability
5. Unique product knowledge and application-driven technical support

Products & Services

The company offers highly competitive products and services across a broad range of markets. Primary products include a wide selection of cylinders, valves, O-Rings, beer kegging and brewing equipment, fire suppression equipment, breathing air, and parts for compressed gas applications, including high-pressure welding, beer and beverage, medical and specialty, and low-pressure refrigerant and propane. Services include DOT-authorized hydrostatic cylinder recertification, refurbishing, recycling, and disposal. Financing assistance is also available.

Before using this catalog, please refer to the safety information located in the back of the catalog.

Website: www.allsafe.net

Toll Free: 866-958-3473

Fax: 651-408-7163



INTRODUCTION

CGA – GAS SELECTION CHART FOR FITTINGS

PURE GASES

CGA Fittings	Pure Gases
510/300	Acetylene
590/346/347/702	Air
240/660/705	Ammonia
580/680/677	Argon
350	Arsine
320	Carbon Dioxide
350	Carbon Monoxide
660	Chlorine
510	Cyclopropane
350	Deuterium
350	Ethane
350	Ethylene
510	Ethylene Oxide
580/680/677	Helium
350/695/703	Hydrogen
330	Hydrogen Chloride
330	Hydrogen Sulfide
580	Krypton, KR-85
350/695/703	Methane
510	Methyl Chloride
580/680/677	Neon
580/680/677	Nitrogen
326	Nitrous Oxide
540/577/701	Oxygen
350	Phosphine
510	Propane
350	Silane
668/660	Sulfur Dioxide
590	Sulfur Hexafluoride
580/680/677	Xenon

MIXED GASES

CGA Fittings	Minor Component	Major Component
240/660/705	Ammonia	Nitrogen
350	Butane	Nitrogen
296	Carbon Dioxide	Oxygen
580	Carbon Dioxide	Helium or Nitrogen
580	Carbon Dioxide and/or Nitrogen	Helium
330	Chlorine	Nitrogen
350	Diborane	Argon, Helium, Hydrogen, or Nitrogen
580	Freon-12	Nitrogen
296	Helium	Oxygen
350	Hexane	Nitrogen
350	Isobutane	Nitrogen
350	Krypton-85	Carbon Monoxide, Hydrogen, or Methane
330	Krypton-85	Chlorine
540	Krypton-85	Oxygen
580	Moisture	Argon, Helium, or Nitrogen
660	Nitric Oxide	Nitrogen
660	Nitrogen Dioxide	Air or Nitrogen
590	Nitrous Oxide	Nitrogen
590	Oxygen	Nitrogen or Helium
350	Propane*	Nitrogen or Helium
660	Sulfur Dioxide	Air or Nitrogen
590	Sulfur Hexafluoride	Argon, Helium, or Nitrogen
350	Sulfur Hexafluoride	Hydrogen
350	Tritium	Argon, Carbon Dioxide, Hydrogen, Methane, Neon, Nitrogen, Krypton, or Xenon

MEDICAL GASES

CGA Fittings	Gas Type
870	Oxygen
940	CO2
930	Inert / Nitrogen
960	Inert / Nitrogen
910	Nitrous Oxide
950	Breathing Air
965	Medical Gas Mixtures
973	Medical Gas Mixtures

It is the user's responsibility to familiarize him/herself with the specific properties and dangers of the gases used for their application. The valve outlet to be used with a cylinder for a particular use is specified by the Compressed Gas Association (CGA). CGA specifications can be found in the document published by the CGA entitled "CGA STANDARD V-1, Compressed Gas Cylinder Valve Outlet Connections." These specifications have been adopted to prevent the inadvertent mixing and/or improper use of gases that could be dangerous. The chart described here is a reference tool only. Consult your gas supplier or the CGA to determine the actual valve type and CGA connection required for your application. Compressed gas cylinders, valves, and the gases contained in them are dangerous and should only be handled by qualified individuals.



When performance and reliability are life-saving essentials, All Safe Global has you covered. Our complete line of SCBA cylinders and valves and our full range of fire extinguishers provide unmatched safety when you need it most, with exceptional quality at an affordable price.

SCBA Cylinders and Valves

- Light and Strong: All SCBA cylinders feature high-performance composite construction
- Extended Certification: All SCBA cylinders feature a minimum 15 year service life before recertification; several are available with an extraordinary 30 year interval.
- Fit to Your Needs: Cylinders are available in all standard configurations – including Scott, MSA, and ISI/Survivair types – in 30 and 45 minute capacities, and in 2216 and 4500 PSI configurations. Valves are available in types, pressure ratings, handle placements, and outlet styles to fit your system exactly.
- Valves and cylinders sold separately
- Cylinders ship unfilled
- Contact us for up-to-the-minute cylinder and valve availability

Fire Extinguishers

For fire safety in any situation, we provide a complete range of extinguisher types and capacities. ABC, CO2, Halotron, and Class K extinguishers are available, in sizes from 2.5 to 20 lbs. A variety of brackets and cabinets for secure storage are also available; please contact your All Safe Global representative for details.



SCBA CYLINDERS

Type	Description	Part Number
15 Year Cylinder	SCBA – 30 Minute – 2216 PSI – Standard Composite – Scott Type – No Valve – 15 yr	SCBA-SC-30-2216-G
15 Year Cylinder	SCBA – 30 Minute – 2216 PSI Standard Composite – MSA Type – No Valve – 15 yr	SCBA-SC-30-2216-MSA
15 Year Cylinder	SCBA – 30 Minute – 4500 PSI Standard Composite – Scott/MSA Type – No Valve – 15 yr	SCBA-SC-30-4500-A
15 Year Cylinder	SCBA – 30 Minute – 4500 PSI Standard Composite – ISI/Survivair Type – No Valve – 15 yr	SCBA-SC-30-4500-B
15 Year Cylinder	SCBA – 45 Minute – 4500 PSI Standard Composite – Scott/MSA Type – No Valve – 15 yr	SCBA-SC-45-4500-A
30 Year Cylinder	SCBA – 45 Minute – 4500 PSI Standard Composite – Scott/MSA Type – No Valve – 30 yr	SCBA-SC-45-4500-A-30
30 Year Cylinder	SCBA – 45 Minute – 4500 PSI Standard Composite – ISI/Survivair Type – No Valve – 30 yr	SCBA-SC-45-4500-B-30
Aluminum Cylinders	For Aluminum 3AL SCBA Cylinders Contact your All Safe Global Representative	Call 866-958-3473
DuraLite Cylinders	For Dura Lite 15 Year Composite SCBA Cylinders Contact your All Safe Global Representative	Call 866-958-3473



SCBA-SC-30-2216-G



SCBA-SC-45-4500-A-30

Cylinders types
available for Draeger,
Interspiro, ISI,
Sperian, Survivair,
MSA, and Scott type
systems.



For medical cylinders
see pages 56-57.



SCBA VALVES

Type	Description	Part Number
Generic	Generic SCBA Valve, 2216 PSI with 180° Outlet	S-2216-180-GEN
Generic	Generic SCBA Valve 3000 PSI	S-3000-GEN
Generic	Generic SCBA Valve 4500 PSI with 180° Outlet	S-4500-180-GEN
Interspiro	Interspiro Type SCBA Valve, 2216 PSI, Diamond-Shaped Non-Locking Handle	S-2216-INTER-DIA
Interspiro	Interspiro Type SCBA Valve, 4500 PSI, Diamond-Shaped Non-Locking Handle	S-4500-INTER-DIA
Scott	Scott Type SCBA Valve, 4500 PSI, w/Tri-Lobed Locking Handle & Clip	S-4500-SCOTT-TRI
Scott	Scott Type SCBA Valve, 2216 PSI, w/Tri-Lobed Locking Handle & Clip	S-2216-SCOTT-TRI
Scott	Scott Type SCBA Valve, 4500 PSI, w/Round Locking Handle & Clip	S-4500-SCOTT-RD
Scott	Scott Type SCBA Valve, 2216 PSI, w/Round Locking Handle & Clip	S-2216-SCOTT-RD
Draeger	Draeger Type SCBA Valve, 4500 PSI, 90° Outlet w/Locking Handle	S-4500-90-DRAEGER
Draeger	Draeger Type SCBA Valve, 2216 PSI, 90° Outlet w/Locking Handle	S-2216-90-DRAEGER



S-4500-90-DRAEGER



DRY CHEMICAL FIRE EXTINGUISHERS

Size	Description	Part Number
2.5 lb.	Dry Chemical 2.5 lb. ABC Extinguisher with Vehicle Bracket	B250M
5 lb.	Dry Chemical 5 lb. ABC Extinguisher with Wall Hook	B5M
10 lb.	Dry Chemical 10 lb. ABC Extinguisher with Wall Hook	B10M
20 lb.	Dry Chemical 20 lb. ABC Extinguisher with Wall Hook	B20M

CO2 FIRE EXTINGUISHERS

Size	Description	Part Number
5 lb. CO2	5 lb. CO2 Fire Extinguisher	B5V
10 lb. CO2	10 lb. CO2 Fire Extinguisher	B10V
15 lb. CO2	15 lb. CO2 Fire Extinguisher	B15V
20 lb. CO2	20 lb. CO2 Fire Extinguisher	B20V



B250M



B5M



B10M



B20M



EXTMOUNT



HALOTRON FIRE EXTINGUISHERS

Size	Description	Part Number
2.5 lb.	2.5 lb. Halotron Extinguisher with Wall Hook	2.5HAB
5 lb.	5 lb. Halotron Extinguisher with Wall Hook	5HAB
11 lb.	11 lb. Halotron Extinguisher with Wall Hook	11HAB
15 lb.	15.5 lb. Halotron Extinguisher with Wall Hook	15HAB

CLASS K FIRE EXTINGUISHERS

Type	Description	Part Number
Class K	Class K 6 Liter Extinguisher with Wall Hook & Signage	WC100

WATER EXTINGUISHERS

Size	Description	Part Number
2.5 Gallon	2.5 Gallon Water Extinguisher with Wall Hanger	WP61



WC100



WP61



11HAB

We carry a wide variety of brackets and cabinets. Ask your All Safe Global representative for more details.



All Safe Global is one of the largest DOT cylinder service centers in the U.S. With over 37 years in the business, we have the experience, technical knowledge, and attention to detail necessary for exceptional cylinder service.

We offer testing and visual inspection to re-certify high- and low-pressure cylinders as well as a full range of reconditioning services. A full list of our services is found below.

Hundreds of thousands of cylinders pass through our testing and reconditioning facility every year, so you can count on us to be your cylinder resource.

We also understand your need for a quick turn-around on orders. Our cylinder service operates daily, so your cylinders will always be ready when you need them. To provide the most efficient service possible, we have our own fleet of commercial vehicles delivering regularly, and have great freight rates for areas outside of our normal delivery area.

Hydrostatic Testing

The industry standard method of requalifying (recertifying) compressed and packaged gas cylinders, to determine whether they are safe for continued use. Testing includes an in-depth visual examination of the cylinder's interior and exterior and a water pressure test.

Hydrostatic testing is required by the Department of Transportation for refrigerant cylinders, SCUBA tanks, SCBA tanks, aircraft cylinders, fire extinguisher cylinders, beverage (CO₂) cylinders, and common compressed gas cylinders, including oxygen, argon, helium, nitrogen, hydrogen, air, nitrous oxide, and others.

Aluma Furb

This fantastic refurbishing process refinishes and clear coats your aluminum cylinder. When coupled with a hydrostatic test (recertification), Aluma Furb is a very cost-effective alternative to purchasing new cylinders, bringing your cylinder back to "like new" condition for half the price!

Aluminum Cylinder Cleaning/Label Removal

Aluminum oxygen cylinders can be made to look nearly new again. Our proprietary cleaning process and cylinder shoulder painting is a lower-cost alternative to completely refurbishing the cylinder. The process is usually performed when a cylinder in need of recertification is already in our facility.

Propane Recertification

Recertification of propane and LP gas cylinders is due 12 years after the original manufacturer date and every 5 years thereafter. In addition to recertifying your propane cylinders, we can shot-blast and repaint reconditionable cylinders.

Cylinder Exterior Blasting and Painting

All Safe Global uses cylinder-blasting machines to remove all paint, scale, and exterior contaminants from the cylinder. The cylinder is left with an ideal surface for applying an exterior coating.



Internal Shot Blasting (ISB)

ISB is the most effective method for removing rust and corrosion from inside steel cylinders. It obsoletes the older method of cylinder tumbling.

Cylinder Exterior Blasting and Painting

All Safe Global uses cylinder-blasting machines to remove all paint, scale, and exterior contaminants from the cylinder. The cylinder is left with an ideal surface for applying an exterior coating.

Cylinder Stenciling, Embossing and Neck Rings

We can stencil or stamp your name on your cylinders, and replace or retighten neck rings.

CO2 Cylinder Filling

All Safe Global can fill any CO2 cylinder, including filling purchased cylinders prior to shipping. Contact your representative for details.

LPG /PROPANE CYLINDERS & SERVICES

Type	Number
5 lb. – Blast/Paint/Recertify/Valve-Install	BPR-5
10 lb. Tall – Blast/Paint/Recertify/Valve-Install	BPR-10
10 lb. Pancake – Blast/Paint/Recertify/Valve-Install	BPR-10P
11.5 lb. Blast – Blast/Paint/Recertify/Valve-Install	BPR-11.5
20 lb. – Blast/Paint/Recertify/Valve-Install	BPR-20
30 lb. – Blast/Paint/Recertify/Valve-Install	BPR-30
33.5 lb. – Blast/Paint/Recertify/Valve-Install	BPR-33.5
Forklift Gauge Replacement – SHOP RATE	FRK-GA
40 lb. – Blast/Paint/Recertify/Valve-Install	BPR-40
43 lb. – Blast/Paint/Recertify/Valve-Install	BPR-43
50 lb. – BBlast/Paint/Recertify/Valve-Install	BPR-50
60 lb. – BBlast/Paint/Recertify/Valve-Install	BPR-60
100 lb. – Blast/Paint/Recertify/Valve-Install	BPR-100
5 lb. – CO2 Cylinder Fill	RC05H
10 lb. – CO2 Cylinder Fill	RC10H
15 lb. – CO2 Cylinder Fill	RC15H
20 lb. – CO2 Cylinder Fill	RC20H



REFRIGERANT SERVICES

Type	Number
30 to 50 lbs.	REFRIG-HYDRO-30
51 to 990 lbs.	REFRIG-HYDRO-50
1000 lbs.	REFRIG-HYDRO-1000

MEDICAL SERVICES E SIZE & SMALLER

Type	Number
Hydrotest & Recertification	MED-HYDRO
Teflon O-Ring (required)	T-ORING
870AY NO TOGGLE Installed End of Line	870AY-SHER
Alumafurb/Clear Coat/Paint Dome	ALUMAFURB
Label Removal & Clean	LRC

INDUSTRIAL SERVICES 20 CU FT TO 585 CU FT

Type	Number
Hydro	HYDRO
Valve	VALVESINSTALLED
Blast / Paint	BP
Label Removal	LRC

TERMS AND CONDITIONS

ATTENTION: PLEASE READ THESE TERMS CAREFULLY BEFORE USING THIS CATALOG OR ORDERING PRODUCT. USING THIS CATALOG INDICATES THAT YOU ACCEPT THESE TERMS. IF YOU DO NOT ACCEPT THE TERMS NOTED HEREIN, DO NOT USE THIS CATALOG.

Applicability

A sales order document denoting pricing, quantities, Customer's name, delivery details, Terms and Conditions of sale and other pertinent information is generated by the Seller for each sales transaction ("Sales Order"). The Terms and Conditions on the Sales Order (referred to here as "Terms" or "Agreement") are the only terms that govern the sale of the goods ("Goods") by All Safe Global, Inc., American Cylinder, Inc. (d/b/a All Safe and All Safe Global) (collectively; "Seller") to the Customer. The customer is the user of this catalog and/or Buyer of Goods ("Customer"). These Terms prevail over any general terms and conditions of purchase submitted by Customer. Customer is subject to the terms of use of this Catalog.

Ordering

All Safe Global, is regularly open for business Monday through Friday, 7:30AM – 4:00PM CST. Phone orders may be placed during business hours at (866) 958-3473. Fax orders may be submitted to (651) 408-7163. Online orders should be submitted via email to sales@allsafe.net.

Minimum Orders

All Safe Global requires minimum order amounts for certain products and specific quantities to be purchased of certain items to receive designated pricing. Contact your sales representative for details. Orders of those products that do not meet the minimum are subject to a \$25 service fee and higher pricing. The \$25 minimum order fee will be added to the total invoice amount. Prices provided in this document or in supplements reflect specific

order quantity requirements. Items ordered outside of these specific quantities may be priced at different levels. All Safe Global may ship partial orders and adjust orders to meet the nearest quantity break for a specific price.

Payment

All Safe Global accepts payment via commercial check, wire transfer, or ACH. We also accept Visa, MasterCard, American Express, and Discover cards. Credit card purchases are subject to a 4% processing fee. Accounts seeking Net 30 terms are subject to credit approval and must submit a credit request with references in writing. Payments must be received in advance for orders placed on accounts without open terms. Past-due invoices may delay the release of pending shipments.

Customer will pay interest on all late payments at the lesser of the rate of 1.5% per month or the highest rate permissible under applicable law, calculated daily and compounded monthly. Customer will reimburse Seller for all costs incurred in collecting any late payments, including, without limitation, attorneys' fees. In addition to all other remedies available under these Terms or at law (which Seller does not waive by the exercise of any rights hereunder), Seller will be entitled to suspend the delivery of any Goods if Customer fails to pay any amounts when due hereunder.

Customer will not withhold payment of any amounts due and payable by reason of any set-off of any claim or dispute with Seller, whether relating to Seller's breach, bankruptcy or otherwise.

Shipping Terms

While most items ship within 24 to 48 hours of order processing, the standard lead time on build-to-stock items is 5 to 10 business days, not including transit time. Lead time on non-stock items, special orders, and other items may vary. Seller typically delivers Goods FCA Seller's facility in Wyoming, Minnesota (INCOTERMS 2010) (the "Delivery Point") using Seller's standard methods for packaging and shipping such Goods unless otherwise specified in

TERMS AND CONDITIONS

the Sales Order. The cost of shipping and insurance (if requested by Customer) will be prepaid by Seller and added to the invoice of Goods. Customer-arranged freight is subject to administrative and handling fees. All Safe Global's normal dock hours are Monday through Friday, 7:00am to 2:30pm CST. Completed orders received before 2:00 p.m. CST will generally be processed on the same business day. Orders received after 2:00 p.m. CST will generally be processed on the next business day. All requests for same day shipping must be received before 12:00 p.m. CST. Same-day shipping may not be available.

Title and Risk of Loss

Title and risk of loss passes to Customer upon delivery of the Goods at the Delivery Point. As collateral security for the payment of the purchase price of the Goods, Customer hereby grants to Seller a lien on and security interest in and to all of the right, title and interest of Customer in the Goods, wherever located, and whether now existing or hereafter arising or acquired from time to time, and in all accessions thereto and replacements or modifications thereof, as well as all proceeds of the foregoing. The security interest granted under this provision constitutes a purchase money security interest under the Minnesota Uniform Commercial Code.

Order Cancellation

Any order placed for same day shipping may not be cancelled or changed. All standard lead time orders require a minimum of 24 hours between the scheduled ship date and notice of cancellation. Staged or loaded merchandise may be subject to a 15% to 25% restocking fee at Seller's discretion. Sales of custom and special order merchandise are final and may not be cancelled and merchandise may not be returned.

Inspection and Rejection of Nonconforming Goods

Customer will inspect the Goods within two business days of

receipt ("Inspection Period"). Customer will be deemed to have accepted the Goods unless it notifies Seller in writing of any Nonconforming Goods during the Inspection Period and furnishes such written evidence or other documentation as reasonably required by Seller. "Nonconforming Goods" means only the following: (i) product shipped is different than identified in Customer's purchase order; or (ii) product's label or packaging incorrectly identifies its contents.

If Customer timely notifies Seller of any Nonconforming Goods, Seller will, in its sole discretion, (i) replace such Nonconforming Goods with conforming Goods, or (ii) credit or refund the Price for such Nonconforming Goods, together with any reasonable shipping and handling expenses incurred by Customer in connection therewith. Customer will ship, at its expense and risk of loss, the Nonconforming Goods to Seller's facility located in Wyoming, Minnesota. If Seller exercises its option to replace Nonconforming Goods, Seller will, after receiving Customer's shipment of Nonconforming Goods, ship to Customer, at Customer's expense and risk of loss, the replaced Goods FCA Delivery Point.

Customer acknowledges and agrees that the remedies set forth in Section 4(b) are Customer's exclusive remedies for the delivery of Nonconforming Goods.

Customer is responsible for checking orders upon delivery to ensure that they are complete and undamaged. If your shipment arrives damaged or shows evidence of tampering, notify the carrier immediately in writing and note any discrepancies on all copies of your delivery paperwork. Customers can partially accept, or refuse, damaged or tamper-evident shipments.

Claims against the carrier for damage or loss should be initiated with the carrier by the receiver. All Safe Global has no recourse to file claims against carriers for shipments delivered freight collect or those signed for as received in good condition.

TERMS AND CONDITIONS

Warranty and Returns

Products manufactured by a third party ("Third Party Product") constitute substantially all of the Goods. The SELLER MAKES NO WARRANTY WHATSOEVER WITH RESPECT TO THE GOODS, INCLUDING ANY (i) WARRANTY OF MERCHANTABILITY; (ii) WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE; OR (iii) WARRANTY AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS OF A THIRD PARTY, WHETHER EXPRESS OR IMPLIED BY LAW, COURSE OF DEALING, COURSE OF PERFORMANCE, USAGE OF TRADE OR OTHERWISE.

Seller warrants to Customer that for a period of 30 days from the date of shipment of the Goods ("Valve Service Warranty Period"), that any valve installation services performed by Seller will be free from material defects in workmanship. In case of breach of the warranty in this Section, Seller will, in its sole discretion, either: (i) repair or replace such Goods (or the defective part) or (ii) credit or refund the price of such Goods at the pro rata contract rate provided that, if Seller so requests, Customer will, at Seller's expense, return such Goods to Seller. THE REMEDIES SET FORTH IN SECTION SHALL BE THE CUSTOMER'S SOLE AND EXCLUSIVE REMEDY AND SELLER'S ENTIRE LIABILITY FOR ANY BREACH OF THE *(continued over)* LIMITED WARRANTY SET FORTH IN THIS SECTION.

Some products may have manufacturer's warranties provided by the manufacturer. For questions about manufacturer's warranties contact your All Safe Global representative.

Before any item is returned to All Safe Global, for any reason, a Return Material Authorization number must be obtained from our Customer Service Department.

Availability and Pricing

Availability and prices are subject to change without notice.

All Safe Global reserves the right to amend quoted prices and minimum quantities on parts and/or components. Customer will

purchase the Goods from Seller at the price(s) (the "Price(s)") set forth in the Sales Order.

The Price, and all prices, are Seller's confidential information and will not be disclosed to any third party by the Customer. Unless otherwise stated on the Sales Order, all Prices are stated in US dollars and do not include shipping, transportation, storage, special packaging or services, insurance, sales, use and excise taxes, and any other similar taxes, duties and charges of any kind imposed by any Governmental Authority on any amounts payable by Customer. Customer will be responsible for all such charges, costs and taxes; provided, that, Customer will not be responsible for any taxes imposed on, or with respect to, Seller's income, revenues, gross receipts, personnel or real or personal property or other assets.

Catalog Content

All content and materials contained in the Catalog are the property of Seller. Any use or reuse of this content without expressed written permission of Seller is strictly prohibited. Permission to otherwise reprint or electronically reproduce any page in part or in its entirety is expressly prohibited unless prior written consent has been obtained. All Rights Reserved © 1999-2016 American Cylinder, Inc.

Seller and its affiliates do not make any representations or warranties as to accuracy of the information in this Catalog. Customer should not rely on the information in this Catalog to determine the appropriate product, service or procedure for use in your application. The Customer, and/or user of any products or services from All Safe, is strictly responsible for ensuring their safe usage and that the products meet all applicable safety requirements and government regulations that may apply.

TERMS AND CONDITIONS

Limitation of Liability

IN NO EVENT SHALL SELLER BE LIABLE TO CUSTOMER OR ANY THIRD PARTY FOR ANY LOSS OF USE, REVENUE OR PROFIT, OR FOR ANY CONSEQUENTIAL, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR PUNITIVE DAMAGES WHETHER ARISING OUT OF BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE) OR OTHERWISE, REGARDLESS OF WHETHER SUCH DAMAGES WERE FORESEEABLE AND WHETHER OR NOT SELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, AND NOTWITHSTANDING THE FAILURE OF ANY AGREED OR OTHER REMEDY OF ITS ESSENTIAL PURPOSE.

IN NO EVENT SHALL SELLER'S AGGREGATE LIABILITY ARISING OUT OF OR RELATED TO THIS AGREEMENT, WHETHER ARISING OUT OF OR RELATED TO BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE) OR OTHERWISE, EXCEED THE TOTAL OF THE AMOUNTS PAID TO SELLER FOR THE GOODS SOLD HEREUNDER.

In no event will Seller be liable for any damages whatsoever (including, without limitation, those resulting from lost profits, lost data, business interruption or human injury) arising out of the use, inability to use, or the results of use of this Catalog, any websites linked to this Catalog, or the materials or information or services contained herein or at any or all such websites, whether based on warranty, contract, tort or any other legal theory and whether or not advised of the possibility of such damages. If your use of the materials, information or services from this Catalog results in the need for servicing, repair, medical attention or correction of equipment or data, you assume all costs thereof. This Catalog does not provide legal advice and visitors should refer any such questions to a qualified Attorney. Furthermore, Seller makes no representations or warranties regarding the condition or functionality of websites it may link to, their suitability for use, or that these links will be uninterrupted. Applicable law may not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may be limited by law and in such cases should be interpreted to be enforced to the

full extent allowed by law.

Warning; Customer's Duty to Warn; Indemnification of Seller

Compressed gas equipment is dangerous and poses a risk of explosion, fire, suffocation, poisoning, extreme temperature, crushing and related injuries. Misuse, using the wrong equipment, or using equipment under unsafe conditions can result in bodily injury, and/or death. Customer alone is responsible for determining what equipment to use. Customer acknowledges that Seller does not customarily affix to Goods warnings labels that set forth hazards related to use of Goods themselves or intended contents ("Product Warnings"), because, as Customer hereby acknowledges, Seller is not aware of the ultimate use of Goods or contents with which Goods will be filled. Customer further acknowledges that Customer has a duty to warn end-users about dangers inherent in filling and using high-pressure gas cylinders, including a duty to warn end-users about dangers related to filling cylinders with certain gases (including those designated as hazardous substances), and that Seller has no such duty. Customer will be solely responsible for, and assumes all obligations for and liability associated with, determining the use of Goods and the foreseeable maintenance and refilling risks, as well as affixing to Goods all appropriate warning labels, including those warning labels required by law and any appropriate Product Warnings. Customer will defend, indemnify and hold Seller harmless against all claims and losses arising out of or related to (i) failure or alleged failure to provide or affix warning labels, including Product Warnings, on Goods, (ii) any deficiencies in warning labels provided or affixed to Goods, or (iii) Seller's act of providing or/and affixing warning labels to Goods in accordance with Customer's specifications, including causes of action in negligence, tort, product liability, strict liability or warranty.

ALL SAFE GLOBAL, INC.

Freight & Service Center Location
26443 Fallbrook Avenue
Wyoming, MN 55092

Walk-In Sales & CO2 Fills
26453 Fallbrook Avenue
Wyoming, MN 55092

Website: www.allsafe.net

Toll Free: 866-958-3473

Fax: 651-408-7163

