



Beverage



SUMMARY

Table of Contents	
Company Overview	
Chart: CGA Selection by Gas Service	

LPG/PROPANE & PROPYLENE

LPG/Propane Cylinders	
Propylene Cylinders.....	
Valves & Components.....	
Replacement Parts.....	

INDUSTRIAL & WELDING

Cylinders	
High Pressure Aluminum	
High Pressure Steel.....	
Breathing Air	
Acetylene	
CO2	
Cryogenic Liquid & Dewars	
Propylene.....	
Valves.....	
Chart: Valve Part Number Designation.....	
Acetylene	
Breathing Air	
CO2	
Cryogenic.....	
HVAC	
Hydrogen	
Industrial	
Inert Gases.....	
Medical Mix & Post Valves (see Medical Section).....	
Nitrous Oxide.....	
Oxygen Service Valves.....	
Propylene (see LPG Section)	
RPV Valves.....	
Sulfur Hex	
Refrigerant.....	

INDUSTRIAL & WELDING (continued)

Regulators	
CO2	
Medical Oxygen (See Medical Section)	
Nitrogen	
Parts & Assemblies	
HVAC , Welding & Oxygen	
O-Rings, Safeties & Valve Replacement Parts	
O-Rings.....	
Replacement Parts	
Carry Handles	
Chart: Safeties (PRD) Selection	
Chart: ISO vs. DOT High Pressure Cylinders	

MEDICAL

Cylinders & Cylinder Carts.....	
Valves & Post Valves	
Medical Regulators	

BEVERAGE

Kegs.....	
Ball Lock & Pin Lock	
Sankey & Pumps.....	
CO2 & Nitrogen/Beer Mix Cylinders	
Beverage Regulators.....	
Keg Components & Parts.....	
Brewing Equipment	
Brewing Kettles & Pots	
Kegging Kits	

SCBA & LIFE SAFETY

SCBA Cylinders.....	
SCBA Valves	
Fire Extinguishers.....	

SERVICES

Cylinder Testing, Filling, Refurbishment, and Refinishing	
--	--

TERMS AND CONDITIONS



Company Overview

All Safe Global, LLC is a Minneapolis, MN-based master distributor of equipment and accessories for compressed gas delivery, beverage production, and fire suppression. The company provides a broad selection of services and hard goods to multiple end-use gas markets.

All Safe Global, LLC has been serving U.S. and select international markets since 1976. The company is a leading nationally recognized DOT test facility and compressed gas equipment supplier, with a robust combination of service capabilities and a large inventory for rapid order fulfillment and quick turnaround.

The company's mission is to be the premier provider of value-driven, high-quality gas and liquid delivery solutions by excelling at global sourcing, fulfillment, and customer service. All Safe Global pledges to provide customers with a competitive advantage through its large-scale operations, distinctive products and services, and extensive supply chain.

Benefits of Working with All Safe Global

- Exclusive product lines and unique product combinations
- Quick order turnaround
- Cost advantages through volume purchasing power and value-driven supply chain
- Global fulfillment capability
- Unique product knowledge and application-driven technical support

Products & Services

The company offers highly competitive products and services across a broad range of markets. Primary products include a wide selection of cylinders, valves, O-rings, beer kegging and brewing equipment, fire suppression equipment, breathing air equipment, and parts for compressed gas applications, including high-pressure welding, beer and beverage, medical and specialty, and low-pressure refrigerant and propane. Services include DOT-authorized hydrostatic cylinder recertification, refurbishing, recycling, and disposal. Financing assistance is also available.

Before using this catalog, please refer to the safety information located in the back of the catalog.

Email: sales@allsafe.net

Website: allsafe.net

Toll-Free: 866-958-3473

Fax: 651-408-7163



PURE GASES

CGA Fittings	Pure Gases
510/300	Acetylene
590/346/347/702	Air
240/660/705	Ammonia
580/680/677	Argon
350	Arsine
320	Carbon Dioxide
350	Carbon Monoxide
660	Chlorine
510	Cyclopropane
350	Deuterium
350	Ethane
350	Ethylene
510	Ethylene Oxide
580/680/677	Helium
350/695/703	Hydrogen
330	Hydrogen Chloride
330	Hydrogen Sulfide
580	Krypton, KR-85
350/695/703	Methane
510	Methyl Chloride
580/680/677	Neon
580/680/677	Nitrogen
326	Nitrous Oxide
540/577/701	Oxygen
350	Phosphine
510	Propane
350	Silane
668/660	Sulfur Dioxide
590	Sulfur Hexafluoride
580/680/677	Xenon

MIXED GASES

CGA Fittings	Minor Component	Major Component
240/660/705	Ammonia	Nitrogen
350	Butane	Nitrogen
296	Carbon Dioxide	Oxygen
580	Carbon Dioxide	Helium or Nitrogen
580	Carbon Dioxide and/or Nitrogen	Helium
330	Chlorine	Nitrogen
350	Diborane	Argon, Helium, Hydrogen, or Nitrogen
580	Freon-12	Nitrogen
296	Helium	Oxygen
350	Hexane	Nitrogen
350	Isobutane	Nitrogen
350	Krypton-85	Carbon Monoxide, Hydrogen, or Methane
330	Krypton-85	Chlorine
540	Krypton-85	Oxygen
580	Moisture	Argon, Helium, or Nitrogen
660	Nitric Oxide	Nitrogen
660	Nitrogen Dioxide	Air or Nitrogen
590	Nitrous Oxide	Nitrogen
590	Oxygen	Nitrogen or Helium
350	Propane*	Nitrogen or Helium
660	Sulfur Dioxide	Air or Nitrogen
590	Sulfur Hexafluoride	Argon, Helium, or Nitrogen
350	Sulfur Hexafluoride	Hydrogen
350	Tritium	Argon, Carbon Dioxide, Hydrogen, Methane, Neon, Nitrogen, Krypton, or Xenon

MEDICAL GASES

CGA Fittings	Gas Type
870	Oxygen
940	CO2
930	Inert / Nitrogen
960	Inert / Nitrogen
910	Nitrous Oxide
950	Breathing Air
965	Medical Gas Mixtures
973	Medical Gas Mixtures

It is the user's responsibility to familiarize him/herself with the specific properties and dangers of the gases used for their application. The valve outlet to be used with a cylinder for a particular use is specified by the Compressed Gas Association (CGA). CGA specifications can be found in the document published by the CGA entitled "CGA STANDARD V-1, Compressed Gas Cylinder Valve Outlet Connections." These specifications have been adopted to prevent the inadvertent mixing and/or improper use of gases that could be dangerous. The chart described here is a reference tool only. Consult your gas supplier or the CGA to determine the actual valve type and CGA connection required for your application. Compressed gas cylinders, valves, and the gases contained in them are dangerous and should only be handled by qualified individuals.



Whether you operate a taproom, craft brewery, retail location, or online store, All Safe Global's complete line of brewing, kegging, and dispensing equipment gives you everything for the discriminating beverage producer.

Kegs

Quality 304 stainless steel Sankey, ball lock, and pin lock kegs for home and commercial brewers.

- Available in sizes for all applications, from 2.5 to 5 gallons and 1/6 to 1/2 barrels.
- NSF-approved beverage safe
- Durable rubber or steel bottoms (keg-dependent)
- Steel or rubber handles (keg-dependent)
- **Customization available** – we can custom silk screen, wrap, stencil, or adhesive label any new ball lock or Sankey keg with your branding

Cylinders

All Safe Global is proud to offer high-quality, DOT-approved CO2 cylinders in lightweight aluminum or economical steel, with capacities from 2.5 to 100 lb.

- New CO2-standard CGA 320 valve on every cylinder
- Tanks meet or exceed all regulatory standards worldwide
- Many larger cylinders come with convenient carry handles
- Ships unfilled; siphon tube not included
- Contact us for current cylinder availability
- **Customization available** – we can custom silk screen, stamp, wrap, stencil, or adhesive label any new cylinder with your branding. Custom neck rings are also available for steel cylinders.

Beverage Kits and Parts

Get started with our convenient and affordable keg kits, or build, upgrade, or enhance a system with our complete selection of parts.

Keg Components

Relief valves, posts, O-rings, and more – all the essentials for the care, repair, and maintenance of your keg. High-quality disconnects, barbs, clamps, and lines for easy liquid and gas handling.

Gas Parts

Manifolds, labels, and adapters for cylinder connections.

Dispensing Parts

Faucets, towers, and components to deliver your finest beverage.

Sankey Parts

Couplers, components, and conversion parts for Sankey keg connections.

Keg Pumps

Quality hand pumps for quick and easy beverage dispensing.

Keg Kits & Kegerator Kits

Available with or without gas cylinders, each NSF-certified food safe kit contains a keg, regulator, disconnects, and all necessary lines and clamps.

Kettles

Professional-quality 304 stainless steel brew kettles from 8 to 20 gallons.

Conversion Kits

Make any refrigerator a beverage-serving machine with our conversion kits. Available with and without CO2 cylinders.

Oxygenator Kit

Precise oxygen injection for the serious home brewer. Tank, stainless wand, regulator, and lines included.



KEG CUSTOMIZATION

We can silk screen, wrap, stencil, or adhesive label any new ball lock keg with your logo

NEW BALL LOCK KEGS

Type	Description	Part Number
AMCYL	Ball Lock - 2.5 Gallon Keg - Single Handle	CKN25INX
AMCYL	Ball Lock - 2.5 Gallon Keg - Dual Rubber Handles	CKN25DRHINX
AMCYL	Ball Lock - 3 Gallon Keg - Single Handle	CKN3INX
AMCYL	Ball Lock - 3 Gallon Keg - Dual Rubber Handles	CKN3DRHINX
AMCYL	Ball Lock - 5 Gallon Keg - Single Handle	CKN5INX
AMCYL	Ball Lock - 5 Gallon Keg - Dual Rubber Handles	CKN5DRHINX

NEW PIN LOCK KEGS

Type	Description	Part Number
AMCYL	Pin Lock - 5 Gallon Keg - Dual Rubber Handle	CK2N-5DRHINX
AMCYL	Pin Lock - 5 Gallon Keg - Single Handle	CK2N-5INX



CKN25INX



CKN25DRH



CKN3INX



CKN3DRHINX



CKN5



CKN5DRHINX



KEG CUSTOMIZATION

We can silk screen, wrap, stencil, or adhesive label any new ball lock keg with your logo

NEW BALL LOCK KEGS

Type	Description	Part Number
AEB	Ball Lock - 2.5 Gallon Keg - Single Handle	CKN25
AEB	Ball Lock - 2.5 Gallon Keg - Dual Rubber Handles	CKN25R
AEB	Ball Lock - 3 Gallon Keg - Single Handle	CKN3
AEB	Ball Lock - 3 Gallon Keg - Dual Rubber Handles	CKN3R
AEB	Ball Lock - 3 Gallon Keg - Single Handle - Dairy-Ready	CKN3-SDT2-DRY
AEB	Ball Lock - 5 Gallon Keg - Single Handle	CKN5
AEB	Ball Lock - 5 Gallon Keg - Dual Rubber Handle	CKN5R



CKN25



CKN25R



CKN3



CKN5R



RECONDITIONED BALL LOCK & PIN LOCK KEGS

Type	Description	Part Number
Varies	Reconditioned Ball Lock Keg- 5 Gallons - Built-In Pressure Relief Valve - Dual Rubber Handle and Bottom - Processed: De-Labeled, Sanitized, & Pressure-Tested	CK1
Varies	Reconditioned Pin Lock Keg- 5 Gallons - Dual Rubber Handle and Bottom - Processed: De-Labeled, Sanitized, & Pressure-Tested	CK2



CK1



CK2



KEG CUSTOMIZATION

We can silk screen, wrap, stencil, or adhesive label any new ball lock keg with your logo

NEW SANKEY KEGS

Type	Description	Part Number
AMCYL	1/2 Barrel – Micro Matic Spear Tube “D” Type	KEG12STD
AMCYL	1/4 Barrel – Micro Matic Spear Tube “D” Type	KEG14STD
AMCYL	1/6 Barrel – Micro Matic Spear Tube “D” Type	KEG16STD
AEB	1/6 Barrel – Rubber Top/Bottom – Micro Matic Spear Tube “D” Type	KEG16STD-DRH
AEB	Cleaning Tank – 4.75 Gallon/18 Liter – 4 Beer Neck - Without Spear Tubes	CT1

SANKEY KEG SPEAR TUBES

Type	Description	Part Number
Multiple	Spear Tube A Type	ST-A
Multiple	Spear Tube S Type	ST-B
Multiple	Spear Tube G Type	ST-G
Multiple	Spear Tube D Type – “American Sankey”	ST-D
Multiple	Spear Tube U Type	ST-U



KEG12STD



KEG14STD



KEG16STD



ST-D



SANKEY KEG PUMPS & COUPLERS

Type	Description	Part Number
Coupler	Sankey "D" Coupler – Blue Handle	SANKEYD1
Converter	Converter - Sankey Liquid Connection to Ball Lock Post	BLP-SANKEY-LIQ
Converter	Converter - Sankey Gas Connection to Ball Lock Post	BLP-SANKEY-GAS
Coupler	1/2" NPT Coupler – Stainless Steel	A-SSCOUPLER1
Pony Pump	Pony Pump – White Body – Hose and Faucet	PUMP1
Bronco Pump	Bronco Pump – Black Body – Lever Tap Handle – Hose and Faucet	PUMP2
Hand Pump	Stainless Steel 4" Hand Pump – Lever Tap Handle – Hose and Faucet	PUMP3
Hand Pump	4" Hand Pump – No Fittings – 3/4" 18 Thread	HND-PUMP-4-NF
Hand Pump	8" Hand Pump – No Fittings – 3/4" 18 Thread	HND-PUMP-8-NF



PUMP2



PUMP1



HND-PUMP-4-NF



SANKEYD1



CYLINDER CUSTOMIZATION

We can silk screen, stamp, wrap, stencil, or label any new cylinder with your logo

NEW CO2 CYLINDERS

Size	Gas	Description	Part Number
2.5 lb.	CO2	2.5 lb. Aluminum – CGA320 Valve – 1800 PSI	25LBALVLV
5 lb.	CO2	5 lb. Aluminum – CGA320 Valve – 1800 PSI	5LBALVLV
10 lb.	CO2	10 lb. Aluminum – CGA320 Valve – 1800 PSI	10LBALVLV
10 lb.	CO2	10 lb. Aluminum – CGA 320 Valve – 1800 PSI – Carry Handle	10LBALVLV-H
15 lb.	CO2	15 lb. Aluminum – CGA320 Valve – 1800 PSI	15LBALVLV
20 lb.	CO2	20 lb. Aluminum – CGA320 Valve – 1800 PSI – Carry Handle	20LBALVLV
35 lb.	CO2	35 lb. Aluminum – CGA320 Valve – 1800 PSI – Carry Handle	35LBALVLV
50 lb.	CO2	50 lb. Aluminum – CGA320 Valve – 1800 PSI – Carry Handle or Cap	50LBALVLV

WE SELL RECERTIFIED CYLINDERS AND BUY USED CYLINDER CORES – ASK YOUR REPRESENTATIVE FOR DETAILS



25LBALVLV



5LBALVLV



10LBALVLV



20LBALVLV



35LBALVLV



50LBALVLV



CYLINDER CUSTOMIZATION

We can silk screen, stamp, wrap, stencil, or label any new cylinder with your logo

NEW NITROGEN / BEER MIX CYLINDERS

Size	Gas	Description	Part Number
20 cu ft	Nitrogen / Beer Mix	20 cu ft Steel - CGA580 Valve - 2015 PSI	20STEEL
20 cu ft	Nitrogen / Beer Mix	20 cu ft Aluminum - CGA580 Valve - 2015 PSI	20CUFTALVLV
22 cu ft	Nitrogen / Beer Mix	22 cu ft Aluminum - CGA580 Valve - 1800 PSI	22CUFTALVLV
30 cu ft	Nitrogen / Beer Mix	30 cu ft Aluminum - CGA580 Valve - 1800 PSI	30CUFTALVLV
40 cu ft	Nitrogen / Beer Mix	40 cu ft Steel - CGA580 Valve - 2015 PSI	40STEEL
60 cu ft	Nitrogen / Beer Mix	60 cu ft Aluminum - CGA580 Valve - 1800 PSI - Carry Handle	60CUFTALVLV

WE SELL RECERTIFIED CYLINDERS AND BUY USED CYLINDER CORES – ASK YOUR REPRESENTATIVE FOR DETAILS



20STEEL



22CUFTALVLV



40STEEL



60CUFTALVLV



PRIMARY REGULATORS

Type	Description	Part Number
CO2 Primary Regulator	High-Performance – No Shutoff – 0-50 PSI – 60 lb. & 2000 lb. Gauges	CO2REG-DUAL-X
CO2 Primary Regulator	High-Performance – MFL Shutoff – 0-50 PSI – 60 lb. & 2000 lb. Gauges	CO2REG-DUAL-MFL
CO2 Primary Regulator	High-Performance – 1/4" Barb with Shutoff – 0-50 PSI – 60 lb. & 2000 lb. Gauges	CO2REG-DUAL-1/4BARB
CO2 Primary Regulator	High-Performance – MFL Shutoff with 5/16" Barb – 0-50 PSI – 60 lb. & 2000 lb. Gauges	CO2REG-DUAL-M516
CO2 Primary Regulator	High-Performance – 5/16" Barb with Shutoff – 0-50 PSI – 60 lb. Gauge	CO2REG-SINGLE-5/16BARB
CO2 Primary Regulator	High-Performance – MFL Shutoff – 0-50 PSI – 60 lb. Gauge	CO2REG-SINGLE-MFL-HP
CO2 Primary Regulator	Triple Gauge – Dual Outlet – 1/4" Barbs with Shutoffs – 0-50 PSI Two 60 lb Gauges – One 2000 lb. Gauge	REGCO2-2COUTLET
Nitrogen Primary Regulator	Dual Gauge – 5/16" Barb with Shutoff – 0-50 PSI – 60 lb. & 3000 lb. Gauges	N2REG-DUAL-5/16BARB
Nitrogen Primary Regulator	Dual Gauge – 1/4" Barb with Shutoff – 0-50 PSI – 60 lb. & 3000 lb. Gauges	N2REG-DUAL-1/4BARB
Nitrogen Primary Regulator	Dual Gauge – 1/4" Flare with Check Outlet – 160 lb. & 3000 lb. Gauges	REGN2-DG-2
Nitrogen Primary Regulator	Triple Gauge – Dual Outlet – 5/16" Barbs with Shutoffs – 0-120 PSI – 60 lb., 160 lb., and 3000 lb. Gauges	REGN2-TG
Oxygen Regulator	Portable with 1/4" Barb Output	HB-OXY-REG2



CO2REG-SINGLE-MFL-HP



CO2REG-DUAL-MFL



REGCO2-2COUTLET



N2REG-DUAL-5/16BARB



REGN2-TG



KEG PARTS

Type	Description	Part Number
Lid	Lid with Pressure Relief & Lid O-Ring	BLLN-A
Lid	Carbonation Lid with .5 mm Diffusion Stone	A-CARBLID-0.5DS
Lid Feet	Lid Closure Foot Cover	LCF
O-Ring	Universal Poppet O-Ring	PP-OR-U
O-Ring	Lid O-Ring	BEVORING-LOR
O-Ring	Dip Tube O-Ring	BEVORING-DTOR
O-Ring	Pin Lock Post O-Ring	BEVORING-PLPOST
O-Ring	Ball Lock Post O-Ring	BEVORING-BLPOST
O-Ring Kit	Ball Lock 5-Piece O-Ring Kit	ORK-BL1
O-Ring Kit	Pin Lock 5-Piece O-Ring Kit	ORK-PL1
Relief Ring	Pull Ring for Relief Valve	PULLRING
Relief Valve	Pressure Relief Valve – Ball Lock Lids	KPRVO
Relief Valve Assembly	Keg Pressure Relief Valve Assembly – Replaces ‘Dome’-Style Reliefs	KPRVA
Spring	Universal Poppet Spring	AE-SO



BLLN-A



LCF



ORK-BL1



KPRVO



KEG PARTS & ACCESSORIES

Type	Description	Part Number
Poppet	Universal Poppet with Universal Spring	POPPET-AEP
Poppet	Cornelius Poppet	POPPET-CORN
Post	Ball Lock – Liquid Post – With O-Ring – No Poppet	BLPWPLIQ
Post	Ball Lock – Gas Post – With O-Ring – No Poppet	BLPWPGAS
Post	Ball Lock – Gas Post – With Dairy-Compatible O-Ring – No Poppet	BLPWPGAS-DRY
Post	Ball Lock – Liquid Post – With Dairy-Compatible O-Ring – No Poppet	BLPWPLIQ-DRY
Post	Ball Lock Posts for Pin Lock Conversion – Gas & Liquid	BLPCONV
Post	Ball Lock Post for Pin Lock Conversion - Gas	BLPCONV-GAS
Post	Ball Lock Post for Pin Lock Conversion - Liquid	BLPCONV-LIQ
Neoprene Jacket	Neoprene Keg Parka/Jacket for 5 Gallon (19L) Kegs	KPARKA1
Neoprene Jacket	Neoprene Keg Parka/Jacket for 2.5 Gallon (9L) Kegs	KPARKA2
Neoprene Jacket	Neoprene Keg Parka/Jacket with Ice Pack for 2.5 & 3 Gallon Kegs	KPARKA3-IP



BLPWPGAS



BLPWPLIQ



POPPET-AEP



KPARKA1



KPARKA3-IP



KEG PARTS & ACCESSORIES

Type	Description	Part Number
Disconnect	Ball Lock Quick Disconnect – Threaded – Liquid Connection – Short	BLDLIQT99
Disconnect	Ball Lock Quick Disconnect – Threaded – Gas Connection – Short	BLDGAST77
Disconnect	Ball Lock Quick Disconnect – Barbed – Gas Connection – Short	BLDGASB277
Disconnect	Ball Lock Quick Disconnect – Barbed – Liquid Connection – Short	BLDLIQB299
Disconnect	Pin Lock Quick Disconnect – Barbed – Gas Connection – Short	PLDGASB27-S
Disconnect	Pin Lock Quick Disconnect – Barbed – Liquid Connection – Short	PLDLIQB29-S
Disconnect	Pin Lock Quick Disconnect – Threaded – Liquid Connection – Long	PLDLIQT299
Disconnect	Pin Lock Quick Disconnect – Threaded – Gas Connection – Long	PLDGAST277
Disconnect	Stainless Steel Ball Lock Disconnect – Liquid (MFL)	BLDLIQMFL-SS
Disconnect	Stainless Steel Ball Lock Disconnect – Gas (MFL)	BLDGASMFL-SS



BLDGAST77



BLDLIQB299



PLDLIQT299



PLDGAST277



BLDLIQMFL-SS



KEG PARTS & ACCESSORIES

Type	Description	Part Number
Barb	1/4" Barb with Swivel 1/4" Nut Assembly	BRB-SWVL-1/4A
Barb	5/16" Barb with Swivel 1/4" Nut Assembly	BRB-SWVL-5/16A
Barbed Fitting	Stainless Steel Male Barbed Fitting 1/2" NPT	A-SS-FITTING-1
Barbed Fitting	Stainless Steel Female Barbed Fitting 1/2" NPT	A-SS-FITTING-2
Barbed Swivel	1/4" Barbed Swivel Hose Stem	BRB-SWVL-1/4-BARB
Barbed Swivel	Threaded Nut for 1/4" Barbed Swivel Hose Stem	BRB-SWVL-1/4-NUT
Barbed Swivel	5/16" Barbed Swivel Hose Stem	BRB-SWVL-5/16-BARB
Barbed Swivel	Threaded Nut for 5/16" Barbed Swivel Hose Stem	BRB-SWVL-5/16-NUT
Beer Nut	Beer Nut – 1 Inch Hex	BNUT1
Beer Stem	Beer Stem – 1/4 Inch MFL	BSTEM025MF
Beer Washer	Beer Washer – Sankey Conversion 1/2" I.D. x 13/16" O.D. x 1/8" Buna Duro 80	BWASH1
Clamp	Hose clamp – For 5/16" I.D. Tubing 7/32" to 5/8" – Worm Gear	HOSECLAMP
Clamp	Hose clamp – For 3/16" I.D. Tubing 7/32" to 5/8" – Worm Gear	HC316
Hex Nut	Stainless Steel 1" Hex Nut – Beer Thread (29/32-14)	BNUT2
Hose Clamp	12.5 mm Stepless Hose Clamp for 7/16" OD Gas Tubing	HOSECLAMP-ST1
Hose Clamp	10 mm Stepless Hose Clamp for 5/16" OD Gas Tubing	HOSECLAMP-ST2
Keg Lubricant	Keg Lubricant – Sanitary Gel Grease – 4 oz. Tube – NSF Approved	KEGLUBE
Pigtail Assembly	Ball Lock Liquid Pigtail Assembly – Ball Lock Quick Disconnect – Hose – Clamps	LIQ-PIGTAIL-BL
Pigtail Assembly	Ball Lock Gas Pigtail Assembly – Ball Lock Quick Disconnect – Hose – Clamps	GAS-PIGTAIL-BL
Shank	Shank for Refrigerator Conversion – 4 1/8" x 1/4" Bore – 1/4" Barb Inlet – Black Plastic Flange	SHANK1
Washer	Nylon Washer for Flare Fitting – Bevel 1/4" Washer	NWMFL1



DISPENSING

Type	Description	Part Number
Faucet	Picnic Faucet – Black Plastic 1/4" Barb	PICNICFAUCET
Faucet	Brass Perlick Style Faucet – Short Shank (w/Nut, Tail, Collar)	FAUCET2
Faucet	Brass Perlick Style Faucet – Long Shank 100mm (w/Nut, Tail, Collar)	FAUCET3
Faucet	Beer Faucet with Stainless Steel Lever – Black Faucet Knob	FAUCET-SS1
Faucet	Nitrogen Beer Faucet with Stainless Steel Lever – Internal Restrictor Plate	FAUCET-NITRO1
Faucet Adapter	Ball Lock Disconnect to Faucet Adapter	A-FADAPT1
Faucet Handle	Black Knob for Stainless Faucet – Compatible with SS1	FAUCETKNOB
Faucet Tower	Single Faucet Tower – 3" Diameter Stainless Steel Column – Stainless Steel Lever Faucet	TOWER1-SS
Faucet Tower	Double Faucet Tower – 3" Diameter Stainless Steel Column – Stainless Steel Lever Faucet	TOWER2-DFSS
Faucet Tower	Double Faucet Tower – 3" Diameter Stainless Steel Column – Brass Lever Faucet	TOWER3-DFSS
Wrench	Combination Beverage Wrench – Spanner, Hex Nut, & Screw Drive Wrench for Faucet Installation	BEVWRENCH



PICNICFAUCET



FAUCETKNOB



FAUCET-SS1



TOWER1-SS



TOWER2-DFSS



GAS PARTS

Type	Description	Part Number
Adapter	Brass Adapter – CGA320 Cylinder to CGA580 Regulator	A1320580
Adapter	Brass Adapter – CGA580 Cylinder to CGA320 Regulator	A2580320
Adapter	Sodastream Adapter Hose – 36"	A-SSTREAM-ADAPT1
Charger Cartridge	16 Gram CO2 Charger Cartridge/Bulb (threaded)	CO2-16GRAM
Charger Cartridge	74 Gram CO2 Charger Cartridge/Bulb (threaded)	CO2-74GRAM
Charger	Premium Regulated CO2 Charger with Ball Lock Fitting & Gauge	CO2-CHRG01
Charger Adapter	CO2 Cartridge Adapter for Mini Regulator - 74 g Cartridge to 16 g Charger	A-REG-ADAPT-1
CO2 Charger Kit	Keg CO2 Charger Kit	CO2-CHRG-KIT1
Gauge	Replacement Gauge – 60 PSI – For CO2 Regulator REGCO2-DG	REG-GAUGE60
Gauge	Replacement Gauge – 2000 PSI – For CO2 Regulator REGCO2-DG	REG-GAUGE2000
Gauge Boot	Gauge Protection Boot – Fits Gauges 2 1/4" Diameter x 1 1/8" – Flexible PVC	GPB-01
Label	CO2 Label UN1013	CO2LABEL
Leak Stopper	Permanent O-Ring for CO2 Cylinders	LS1
Manifold	2-Way Manifold – 5/16" Barb Shutoff Outlet – 3/8" Barb Inlet	MAN2W516
Manifold	3-Way Manifold – 5/16" Barb Shutoff Outlet – 3/8" Barb Inlet	MAN3W516
Manifold	4-Way Manifold – 5/16" Barb Shutoff Outlet – 3/8" Barb Inlet	MAN4W516
Manifold	6-Way Manifold – 5/16" Barb Shutoff Outlet – 3/8" Barb Inlet	MAN6W516
Manifold	2-Way Manifold – 1/4" Barb Shutoff Outlet – 1/4" Barb Inlet	MAN2W14
Manifold	3-Way Manifold – 1/4" Barb Shutoff Outlet – 1/4" Barb Inlet	MAN3W14
Manifold	4-Way Manifold – 1/4" Barb Shutoff Outlet – 1/4" Barb Inlet	MAN4W14
Oxygen Wand	22" Stainless Steel Oxygen Dispensing Wand with Diffusing Stone	WANDOXY



MAN2W516



MAN4W516



GPB-01



LS1



TUBING

Type	Description	Part Number
Tubing	Liquid Tubing – 3/16" I.D., 5/16" O.D., 1/16" Wall – 45 PSI – NSF Approved	T316IDLIQ
Tubing	Liquid Tubing – 1/4" I.D., 7/16" O.D., 1/16" Wall – 45 PSI – NSF Approved	T14IDLIQ
Tubing	Gas Tubing – 5/16" I.D., 7/16" O.D., 1/16" Wall – 30 PSI – NSF Approved	T516IDGAS
Tubing	Liquid Tubing – 3/8" I.D., 1/2" O.D., 1/16" Wall – For Auto-Siphon Applications – NSF Approved	T38IDLIQ-Clear
Tubing	Liquid Tubing – 1/2" I.D., 5/8" O.D., 1/16" Wall – For Auto-Siphon Applications – NSF Approved	T12IDLIQ-Clear
Tubing	High-Temperature Liquid Tubing – 3/8" I.D., 1/2" O.D., 1/8" Wall – Black – Rated For Use Up To 200° C – 175 PSI Maximum Working Pressure at 73° C – NSF-Approved	T38HTLIQ-Black
Tubing	High-Temperature Liquid Tubing – 3/8" I.D., 1/2" O.D., 1/8" Wall – White – Rated For Use Up To 200° C – 175 PSI Maximum Working Pressure at 73° C – NSF-Approved	T38HTLIQ-White
Tubing	High-Temperature Liquid Tubing – 1/2" I.D., 5/8" O.D., 1/8" Wall – Black – Rated For Use Up To 200° C – 175 PSI Maximum Working Pressure at 73° C – NSF-Approved	T12HTLIQ-Black
Tubing	High-Temperature Liquid Tubing – 1/2" I.D., 5/8" O.D., 1/8" Wall – White – Rated For Use Up To 200° C – 175 PSI Maximum Working Pressure at 73° C – NSF-Approved	T12HTLIQ-White



T14IDLIQ



T12IDLIQ-CLR



T516IDGAS



BREWING EQUIPMENT

Type	Description	Part Number
Washer	Keg/Carboy/Parts Washer	KEGWASH1
Heat Exchanger	20 Plate Wort Chiller/Heat Exchanger	A-HEATEX1
Fast Ferment	Fast Ferment Kit, 7.9 Gallons, with Screw Top, Wall Mount, Grommet, Air Lock, Collection Ball, Valve, Wall Mount, Tubing, & Fittings	A-FFKIT1
Fast Ferment	Fast Ferment Spare Collection Ball	A-CBALL1
Fast Ferment	Fast Ferment Carry Strap	A-CSTRAP-FF1
Fast Ferment	Fast Ferment Thermometer	A-THERM-FF1
Fast Ferment	Fast Ferment Metal Stand	A-STAND-FF1
Hop Spyder	Stainless Steel Hop Spyder for Brew Kettles & Fermenters	A-SPYDER1



KEGWASH1



A-HEATEX1



A-FFKIT1



BREWING EQUIPMENT

Type	Description	Part Number
Auto-Siphon	Auto-Siphon & Racking Cane, 3/8" Connection	A-ASIPHON1
Beer Filtering	Beer Filtering System 10 Inch	A-FILTERSYS1
Beer Filtering	Washable Reinforced Filter 1 Micron Absolute	A-FILTER1
Chiller	25' Stainless Steel Immersion Wort Chiller with Garden Hose Fittings	A-CHILLER1
Chiller	25' Copper Immersion Wort Chiller with Garden Hose Fittings	A-CHILLER25-CU
Cooling Coil	Stainless Steel Cooling Coil 16 m	A-COIL1
Diffusion Stone	2 Micron Stainless Steel Diffusion Stone/Air Stone	A-DIFFST-2.0MIC
Diffusion Stone	0.5 Micron Stainless Steel Diffusion Stone	A-DIFFST-0.5MIC
Refractometer	Portable Refractometer with ATC (with SG Scale)	A-REFRACT1
Racking Cane	Stainless Steel Racking Cane, 30"	A-RCSS1



A-COIL1



A-DIFFST-2.0MIC



A-CHILLER25-CU



A-REFRACT1



BREWING EQUIPMENT

Type	Description	Part Number
Alcometer	Alcometer 0 to 100%	A-ALC-METER1
Air Pump	Wort Aerator – Air Pump Kit	A-PUMP-AIR1
Drive Pump	High-Temperature Magnetic Drive Pump (1/2 BSP)	A-PUMP-MAG1
Drive Pump	High-Temperature Micro 12v Direct Drive Brown Pump	A-PUMP-DRV1
Hydrometer	Hydrometer	A-HYDRO1
Hydrometer	Thermohydrometer - Temperature-Compensated Hydrometer	A-THYDRO-A
Fermenter	30L Pail Fermenter – With Airlock, Temp Stick, Tap	A-FERMENT1
Mash Paddle	Stainless Steel Mash Paddle	A-MASHP1
Test Kit	100 Strip PH Test Kit (PH 0–14)	A-PHKIT1
Test Kit	100 Strip Narrow-Range PH Test Kit (PH 3.8–5.4)	A-PHKIT2
Thermometer	LCD Thermometer Strip for Pail Fermenter	A-THERMS

GROWLERS

Type	Description	Part Number
Growler	Growler – 2 Liter Capacity, Sprung Wire Lid	GROWL-U1B
Growler	Ultimate Growler – 2 Liter Capacity, Vacuum Insulated, Screw Lid, Handle	GROWL-V2



A-MASHP1



A-PHKIT2



A-HYDRO1



GROWL-U1

**GROWLER
CUSTOMIZATION**
We can silk screen,
stencil, or adhesive
overlay any growler
with your logo



BREWING KETTLES, POTS, AND ACCESSORIES

Type	Description	Part Number
Pot Set	60 L/40 L Nested Aluminium Pot Set	A-POTSET1
Brew Kettle	8 Gallon Brew Kettle, Food-Grade 304 Stainless Steel	KETTLE-A8
Brew Kettle	10 Gallon Brew Kettle, Food-Grade 304 Stainless Steel, Silicone Handles Weldless 3-Piece Ball Valve, Weldless Port with Plug, Lid	KETTLE-A10
Brew Kettle	15 Gallon Brew Kettle, Food-Grade 304 Stainless Steel, Silicone Handles Weldless 3-Piece Ball Valve, Weldless Port with Plug, Lid	KETTLE-A15
Brew Kettle	20 Gallon Brew Kettle, Food-Grade 304 Stainless Steel, Silicone Handles Weldless 3-Piece Ball Valve, Weldless Port with Plug, Lid	KETTLE-A20
Bazooka Screen	12 Inch/30 cm Stainless Hop Bazooka Screen	A-SCREEN1
Brew Bag	Cold Coffee Brew Bag –63 Micron – 40-62 Quarts – Washable	BREWBAG-4062
Bulkhead	Poly Bulkhead for 6.5 mm Diameter Temperature Probe	A-TPROBE1
Thermometer	3-Inch Dial Thermometer – Bi-Metal – 6"/132 mm Probe – Long Stem	A-THERM1
Thermometer	3-Inch Dial Thermometer – Bi-Metal – 2"/40 mm Probe – Short Stem	A-THERM2



A-POTSET1



A-THERM1



KETTLE-A8



A-TPROBE1



KETTLE-A15



KEGGING KITS

Kits 1-12 include gas and liquid line pigtails

Type	Keg	Cylinder	Regulator	Part Number
Keg Kit 1	New 5 Gallon Dual-Handle Ball Lock	5 lb. Aluminum CO2	Dual-Gauge CO2	KEGKIT1
Keg Kit 2	Used 5 Gallon Dual-Handle Ball Lock	5 lb. Aluminum CO2	Dual-Gauge CO2	KEGKIT2
Keg Kit 3	Used 5 Gallon Dual-Handle Ball Lock	No Cylinder	Dual-Gauge CO2	KEGKIT3
Keg Kit 4	Used 5 Gallon Dual-Handle Ball Lock	7 lb. Steel CO2	Dual-Gauge CO2	KEGKIT4
Keg Kit 5	Used 5 Gallon Dual-Handle Pin Lock	5 lb. Aluminum CO2	Dual-Gauge CO2	KEGKIT5
Keg Kit 6	New 3 Gallon Single-Handle Ball Lock	5 lb. Aluminum CO2	Dual-Gauge CO2	KEGKIT6
Keg Kit 7	Used 5 Gallon Dual-Handle Pin Lock	No Cylinder	Dual-Gauge CO2	KEGKIT7
Keg Kit 8	New 5 Gallon Single-Handle Ball Lock	22 cu ft Aluminum Nitrogen	Dual-Gauge Nitrogen	KEGKIT8
Keg Kit 9	Used 5 Gallon Dual-Handle Ball Lock	20 cu ft Steel Nitrogen	Dual-Gauge Nitrogen	KEGKIT9
Keg Kit 10	Two New 5 Gallon Single-Handle Ball Lock	10 lb. Aluminum CO2	Dual-Gauge CO2	KEGKIT10
Keg Kit 11	Two Used 5 Gallon Dual-Handle Ball Lock	10 lb. Aluminum CO2	Dual-Gauge CO2	KEGKIT11
Keg Kit 12	New 2.5 Gallon Single-Handle Ball Lock	5 lb. Aluminum CO2	Dual-Gauge CO2	KEGKIT12
Keg Kit 13	New 2.5 Gallon Single-Handle Ball Lock <i>Mobile keg kit with handheld charging system, liquid line pigtail, & neoprene keg parka</i>	Six 16 g CO2 Cartridges	Handheld CO2 Charger	KEGKIT13
Keg Kit 14	No Keg <i>Handheld charging system</i>	Six 16 g CO2 Cartridges	Handheld CO2 Charger	KEGKIT14



KIT1-CKN5-5A-REG516C



KIT2-U5-5A-REG516C



NITROGEN KEGGING KITS

FOR STOUT BEER, NITRO COFFEE, COLD BREW COFFEE, ALES, AND LAGERS

Type	Keg	Cylinder	Regulator	Part Number
Nitro Kit 1	New 2.5 Gallon Single-Handle Ball Lock <i>With high-polish premium stout faucet, standard faucet, stainless steel single-tap tower, & gas and liquid lines</i>	20 cu ft Steel Nitrogen	Dual Gauge, Single Outlet	NITROKIT1
Nitro Kit 2	New 3 Gallon Single-Handle Ball Lock <i>With high-polish premium stout faucet, standard faucet, stainless steel single-tap tower, & gas and liquid lines</i>	20 cu ft Steel Nitrogen	Dual Gauge, Single Outlet	NITROKIT2
Nitro Kit 2AL	New 3 Gallon Single-Handle Ball Lock <i>With high-polish premium stout faucet, standard faucet, stainless steel single-tap tower, & gas and liquid lines</i>	22 cu ft Aluminum Nitrogen	Dual Gauge, Single Outlet	NITROKIT2AL
Nitro Kit 3	New 5 Gallon Single-Handle Ball Lock <i>With high-polish premium stout faucet, standard faucet, stainless steel single-tap tower, & gas and liquid lines</i>	40 cu ft Steel Nitrogen	Dual Gauge, Single Outlet	NITROKIT3
Nitro Kit 4	Two New 3 Gallon Single-Handle Ball Lock <i>With high-polish premium stout faucet, standard faucet, stainless steel dual-tap tower, & gas and liquid lines</i>	60 cu ft Aluminum Nitrogen	Triple Gauge, Dual Outlet	NITROKIT4
Nitro Kit 5	New 3 Gallon Single-Handle Ball Lock <i>With standard faucet, stainless steel single-tap tower, & gas and liquid lines</i>	22 cu ft Aluminum Nitrogen	Dual Gauge, Single Outlet	NITROKIT5
Nitro Kit 6	New 2.5 Gallon Single-Handle Ball Lock <i>Mobile nitro keg kit with high-polish premium stout faucet, threaded liquid ball lock disconnect and faucet adapter</i>	22 cu ft Aluminum Nitrogen	Dual Gauge, Single Outlet	NITROKIT6



NITROKIT2



NITROKIT4



KEGERATOR KITS CHOICE OF KEGS

Type	Keg Type	Gas Type	Refrigerator	Cylinder	Regulator	Part Number
Kegerator Kit 1	Sankey	CO2	Black Finish/Black Front	Reconditioned 5 lb. Steel	Dual Gauge, Single Outlet	KEGERATOR1
<i>With standard faucet, stainless steel single-tap tower, Sankey "D" connector, & gas and liquid lines</i>						
Kegerator Kit 1B	Sankey	CO2	Black Finish/Black Front	No Cylinder	Dual Gauge, Single Outlet	KEGERATOR1B
<i>With standard faucet, stainless steel single-tap tower, Sankey "D" connector, & gas and liquid lines</i>						
Kegerator Kit 1AL	Sankey	CO2	Black Finish/Black Front	New 5 lb. Aluminum	Dual Gauge, Single Outlet	KEGERATOR1AL
<i>With standard faucet, stainless steel single-tap tower, Sankey "D" connector, & gas and liquid lines</i>						
Kegerator Kit 2	Sankey	Nitrogen/G-Mix	Black Finish/Black Front	New 20 cu ft Steel	Dual Gauge, Single Outlet	KEGERATOR2
<i>With standard faucet, stainless steel single-tap tower, Sankey "D" connector, & gas and liquid lines</i>						
Kegerator Kit 2B	Sankey	Nitrogen/G-Mix	Black Finish/Black Front	No Cylinder	Dual Gauge, Single Outlet	KEGERATOR2B
<i>With standard faucet, stainless steel single-tap tower, Sankey "D" connector, & gas and liquid lines</i>						
Kegerator Kit 3	Sankey	Nitrogen/G-Mix	Black Finish/Black Front	New 20 cu ft Steel	Dual Gauge, Single Outlet	KEGERATOR3
<i>With high-polish premium stout faucet, standard faucet, stainless steel single-tap tower, Sankey "D" connector, & gas and liquid lines</i>						
Kegerator Kit 3B	Sankey	Nitrogen/G-Mix	Black Finish/Black Front	No Cylinder	Dual Gauge, Single Outlet	KEGERATOR3B
<i>With high-polish premium stout faucet, standard faucet, stainless steel single-tap tower, Sankey "D" connector, & gas and liquid lines</i>						
Kegerator Kit 4B	Ball Lock	Nitrogen/G-Mix	Black Finish/Stainless Front	No Cylinder	Dual Gauge, Single Outlet	KEGERATOR4B
<i>With high-polish premium stout faucet, standard faucet, stainless steel dual-tap tower, ball lock disconnects, & gas and liquid lines</i>						



KEGERATOR1



KEGERATOR3



KEGERATOR KITS NITROGEN/G-MIX WITH KEGS

Type	Keg	Refrigerator	Cylinder	Regulator	Part Number
Kegeator Kit 4	Two New 3-Gallon Single-Handle Ball Lock	Black Finish/Stainless Front	New 60 cu ft Aluminum	Triple Gauge, Dual Outlet	KEGERATOR4
	<i>With high-polish premium stout faucet, standard faucet, stainless steel dual-tap tower, ball lock disconnects, & gas and liquid lines</i>				
Kegeator Kit 5	New 3-Gallon Single-Handle Ball Lock	Black Finish/Stainless Front	New 22 cu ft Aluminum	Dual Gauge, Single Outlet	KEGERATOR5
	<i>With high-polish premium stout faucet, standard faucet, stainless steel single-tap tower, ball lock disconnects, & gas and liquid lines</i>				
Kegeator Kit 6	New 3-Gallon Single-Handle Ball Lock	Black Finish/Stainless Front	New 22 cu ft Aluminum	Dual Gauge, Single Outlet	KEGERATOR6
	<i>With standard faucet, stainless steel single-tap tower, ball lock disconnects, & gas and liquid lines</i>				



KEGERATOR5



KEGERATOR4



BREWING KITS

Type	Description	Part Number
Brew Kit	15 Gallon Brew Kettle – 25' Copper Wort Chiller – Hydrometer Bazooka Screen– 3" Dial Thermometer with Bulkhead – Mash Paddle	BREWKIT01
Brew Kit	10" Beer Filter System – Washable 1 Micron Filter – Liquid Lines	BREWKIT02
Brew Kit	High-Temperature Magnetic Drive Pump – 20-Plate Wort Chiller – Washable 1 Micron Filter – Liquid Tubing	BREWKIT03
Oxygenator Kit	Oxygenator Kit – Steel Cylinder – Oxygen Regulator & Wand	KITOXYBEV1
Oxygenator Kit	Oxygenator Kit – Oxygen Regulator and Wand – No Cylinder	KITOXYBEV2



KIT-OXYBEV1



BREWKIT01



BREWKIT02



CONVERSION KITS & PARTS

Type	Description	Part Number
Sankey Conversion Kit	Sankey Only – Refrigerator Conversion Kit – No CO2	KIT-C1
Sankey Conversion Kit	Sankey Only – Refrigerator Conversion Kit – 5lb CO2	KIT-C2-5A
Multi Conversion Kit	Universal Refrigerator Conversion Kit –	KIT-CONV-U2-5A
Multi Conversion Kit	Ball Lock and Sankey Connections – 5 lb CO2 Parts Conversion Kit – Converts Sankey to Ball Lock Connections	PART-CONVKIT1-BL
Multi Conversion Kit	Universal Refrigerator Conversion Kit – Ball Lock and Sankey Connections – No CO2 Tank	KIT-CONV-U1
Shank Tailpiece	Shank Tailpiece for 1/4" ID Hose, Chrome Plated	SHANK-TAIL14C
Shank Tailpiece	Shank Tailpiece for 1/4" ID Hose, Stainless Steel	SHANK-TAIL14SS
Shank Tailpiece	Shank Tailpiece for 3/16" ID Hose, Chrome Plated	SHANK-TAIL316C
Shank Tailpiece	Shank Tailpiece for 3/16" ID Hose, Stainless Steel	SHANK-TAIL316SS
Shank Tailpiece	Shank Tailpiece for 5/16" ID Hose, Stainless Steel	SHANK-TAIL516C
Shank Tailpiece	Shank Tailpiece for 5/16" ID Hose, Chrome Plated	SHANK-TAIL516SS



SHANK-TAIL-316C



KIT-C2-5A



PART-CONVKIT1-BL



All Safe Global is one of the largest DOT cylinder service centers in the U.S. With over 37 years in the business, we have the experience, technical knowledge, and attention to detail necessary for exceptional cylinder service.

We offer testing and visual inspection to re-certify high- and low-pressure cylinders as well as a full range of reconditioning services. Hundreds of thousands of cylinders pass through our testing and reconditioning facility every year, so you can count on us to be your cylinder resource.

In addition to testing, we offer a full range of keg and cylinders customization: logo silk screening, stenciling, wrapping, and labeling services are available in-house.

We also specialize in quick turn-around: our cylinder service operates daily, we have our own fleet of commercial delivery vehicles, and offer great freight rates to locations outside our normal delivery area.

Hydrostatic Testing and Ultrasonic Examination

We use industry standard methods to requalify (recertify) cylinders and determine if they are safe for continued use. Hydrostatic testing includes an in-depth visual examination of the cylinder's interior and exterior and a water pressure test.

We also offer ultrasonic examination, which inspects cylinders with sound waves. This method delivers a number of advantages, particularly to specialty gas users, including no need for valve removal, preservation of high-value gases, and moisture and contamination avoidance.

Testing is required by the Department of Transportation for refrigerant cylinders, SCUBA tanks, SCBA tanks, aircraft cylinders, fire extinguisher cylinders, beverage (CO₂) cylinders, and common compressed gas cylinders, including oxygen, argon, helium, nitrogen, hydrogen, air, nitrous oxide, and others.

Aluma Furb

This fantastic refurbishing process refinishes and clear coats your aluminum cylinder. When coupled with hydrostatic or ultrasonic recertification, Aluma Furb is a cost-effective alternative to new cylinders, bringing a cylinder back to "like new" condition for half the price!

Aluminum Cylinder Cleaning/Label Removal

Aluminum cylinders can be made to look nearly new again. Our proprietary

cleaning process and cylinder shoulder painting is a lower-cost alternative to complete cylinder refurbishment, and is usually performed when a cylinder in need of recertification is already in our facility.

Propane Recertification

Recertification of propane and LP gas cylinders is due 12 years after the original manufacturer date and every 5 years thereafter. In addition to recertifying your propane cylinders, we can shot-blast and repaint reconditionable cylinders.

Cylinder Exterior Blasting and Painting

All Safe Global uses cylinder-blasting machines to remove all paint, scale, and exterior contaminants from the cylinder. The cylinder is left with an ideal surface for applying an exterior coating.

Internal Shot Blasting (ISB)

ISB is the most effective method for removing rust and corrosion from inside steel cylinders, and obsoletes the older method of cylinder tumbling.

Cylinder Exterior Blasting and Painting

All Safe Global uses cylinder-blasting machines to remove all paint, scale, and exterior contaminants from the cylinder. The cylinder is left with an ideal surface for applying an exterior coating.



Customization

Our in-house facilities can silk screen, stamp, stencil, wrap, and adhesive label new cylinders with your logo, and custom neck rings can be installed on steel cylinders. New kegs can also be silk screened, wrapped, stenciled, and labeled with your brand or marketing.

LPG /PROPANE CYLINDERS SERVICES

All Safe Global provides a full range of processing and testing services for aluminum and steel LP/propane cylinders. Blasting, painting, valve installation, and recertification services are available for a wide variety of cylinders, including 5, 10, 11.5, 20, 30, 33.5, 40, 43, 50, 60, and 100 lb. sizes.

CO2 CYLINDER FILLING

CO2 Cylinder Filling

All Safe Global can fill any CO2 cylinder, including filling purchased cylinders prior to shipping. Contact your representative for details.

Type	Number
10 lb.	RC05H
10 lb.	RC10H
15 lb.	RC15H
20 lb.	RC20H

REFRIGERANT CYLINDER SERVICES

We are also proud to offer refrigerant cylinder hydro testing for cylinder ranges 30 to 50 lb., 51 to 990 lb., and 1000 lb. and up.

MEDICAL CYLINDER SERVICES

We can assure the critical performance of medical cylinders sizes E and smaller. Hydro testing and recertification, AlumaFurb, clear coating, paint, label removal, and valve and O-ring installation are all available through All Safe Global.

INDUSTRIAL SERVICES FOR CYLINDERS 20 TO 585 CU FT

Type	Number
Hydro Testing	HYDRO
Valve	VALVESINSTALLED
Blast / Paint	BP
Label Removal	LRC

TERMS AND CONDITIONS

ATTENTION: PLEASE READ THESE TERMS CAREFULLY BEFORE USING THIS CATALOG OR ORDERING PRODUCT. USING THIS CATALOG INDICATES THAT YOU ACCEPT THESE TERMS. IF YOU DO NOT ACCEPT THE TERMS NOTED HEREIN, DO NOT USE THIS CATALOG.

1. Applicability. These Terms and Conditions including the terms on the Sales Order (collectively, "Terms" or "Agreement") are the only terms that govern the sale of the goods ("Goods") by All Safe Global, LLC and American Cylinder, LLC (d/b/a All Safe and d/b/a All Safe Global) (collectively; "Seller") to the buyer named in the Sales Order ("Buyer"). These Terms prevail over any general terms and conditions of purchase submitted by Buyer. A sales order document denoting pricing, quantities, Buyer's name, delivery details and other information is generated by the Seller for each transaction ("Sales Order").

2. Shipping Terms. Seller will deliver the Goods FCA Seller's facility in Wyoming, Minnesota (INCOTERMS 2010) (the "Delivery Point") using Seller's standard methods for packaging and shipping such Goods unless otherwise specified in the Sales Order. The cost of shipping and insurance (if requested by Buyer) will be prepaid by Seller and added to the invoice Goods.

3. Title and Risk of Loss. Title and risk of loss passes to Buyer upon delivery of the Goods at the Delivery Point. As collateral security for the payment of the purchase price of the Goods, Buyer hereby grants to Seller a lien on and security interest in and to all of the right, title and interest of Buyer in the Goods, wherever located, and whether now existing or hereafter arising or acquired from time to time, and in all accessions thereto and replacements or modifications thereof, as well as all proceeds of the foregoing. The security interest granted under this provision constitutes a purchase money security interest under the Minnesota Uniform Commercial Code.

4. Inspection and Rejection of Nonconforming Goods.

a. Buyer will inspect the Goods within two business days of receipt ("Inspection Period"). Buyer will be deemed to have accepted the Goods unless it notifies Seller in writing of any Nonconforming Goods during the Inspection Period and furnishes such written evidence or other documentation as reasonably required by Seller. "Nonconforming Goods" means only the following: (i) product shipped is different than identified

in Buyer's purchase order; or (ii) product's label or packaging incorrectly identifies its contents.

b. If Buyer timely notifies Seller of any Nonconforming Goods, Seller will, in its sole discretion, (i) replace such Nonconforming Goods with conforming Goods, or (ii) credit or refund the Price for such Nonconforming Goods, together with any reasonable shipping and handling expenses incurred by Buyer in connection therewith. Buyer will ship, at its expense and risk of loss, the Nonconforming Goods to Seller's facility located in Wyoming, Minnesota. If Seller exercises its option to replace Nonconforming Goods, Seller will, after receiving Buyer's shipment of Nonconforming Goods, ship to Buyer, at Buyer's expense and risk of loss, the replaced Goods FCA Delivery Point.

c. Buyer acknowledges and agrees that the remedies set forth in Section 4(b) are Buyer's exclusive remedies for the delivery of Nonconforming Goods.

5. Price.

a. Buyer will purchase the Goods from Seller at the price(s) (the "Price(s)") set forth in this Agreement.

b. The Price is Seller's confidential information and will not be disclosed to any third party. Unless otherwise stated on this Sales Order, all Prices are stated in US dollars and do not include shipping, transportation, storage, special packaging or services, insurance, sales, use and excise taxes, and any other similar taxes, duties and charges of any kind imposed by any Governmental Authority on any amounts payable by Buyer. Buyer will be responsible for all such charges, costs and taxes; provided, that, Buyer will not be responsible for any taxes imposed on, or with respect to, Seller's income, revenues, gross receipts, personnel or real or personal property or other assets.

6. Payment.

a. Buyer will pay interest on all late payments at the lesser of the rate of 1.5% per month or the highest rate permissible under applicable law, calculated daily and compounded monthly. Buyer will reimburse Seller for all costs incurred in collecting any late payments, including, without limitation, attorneys' fees. In addition to all other remedies available under these Terms or at law (which Seller does not waive by the exercise of any rights hereunder), Seller will be entitled to suspend the delivery of any Goods if Buyer fails to pay any amounts when due hereunder.

TERMS AND CONDITIONS

b. Buyer will not withhold payment of any amounts due and payable by reason of any set-off of any claim or dispute with Seller, whether relating to Seller's breach, bankruptcy or otherwise.

7. No Warranty on Goods; Service Warranty.

a. Products manufactured by a third party ("Third Party Product") constitute substantially all of the Goods. The SELLER MAKES NO WARRANTY WHATSOEVER WITH RESPECT TO THE GOODS, INCLUDING ANY (i) WARRANTY OF MERCHANTABILITY; (ii) WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE; OR (iii) WARRANTY AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS OF A THIRD PARTY, WHETHER EXPRESS OR IMPLIED BY LAW, COURSE OF DEALING, COURSE OF PERFORMANCE, USAGE OF TRADE OR OTHERWISE.

b. Seller warrants to Buyer that for a period of 30 days from the date of shipment of the Goods ("Valve Service Warranty Period"), that any valve installation services performed by Seller will be free from material defects in workmanship. In case of breach of the warranty in this Section, Seller will, in its sole discretion, either: (i) repair or replace such Goods (or the defective part) or (ii) credit or refund the price of such Goods at the pro rata contract rate provided that, if Seller so requests, Buyer will, at Seller's expense, return such Goods to Seller. THE REMEDIES SET FORTH IN SECTION SHALL BE THE BUYER'S SOLE AND EXCLUSIVE REMEDY AND SELLER'S ENTIRE LIABILITY FOR ANY BREACH OF THE LIMITED WARRANTY SET FORTH IN THIS SECTION.

8. Limitation of Liability.

a. IN NO EVENT SHALL SELLER BE LIABLE TO BUYER OR ANY THIRD PARTY FOR ANY LOSS OF USE, REVENUE OR PROFIT, OR FOR ANY CONSEQUENTIAL, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR PUNITIVE DAMAGES WHETHER ARISING OUT OF BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE) OR OTHERWISE, REGARDLESS OF WHETHER SUCH DAMAGES WERE FORESEEABLE AND WHETHER OR NOT SELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, AND NOTWITHSTANDING THE FAILURE OF ANY AGREED OR OTHER REMEDY OF ITS ESSENTIAL PURPOSE.

b. IN NO EVENT SHALL SELLER'S AGGREGATE LIABILITY ARISING OUT OF OR RELATED TO THIS AGREEMENT, WHETHER ARISING

OUT OF OR RELATED TO BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE) OR OTHERWISE, EXCEED THE TOTAL OF THE AMOUNTS PAID TO SELLER FOR THE GOODS SOLD HEREUNDER.

9. Warning; Buyer's Duty to Warn; Indemnification of Seller.

Compressed gas equipment is dangerous and poses a risk of explosion, fire, suffocation, poisoning, extreme temperature, crushing and related injuries. Misuse, using the wrong equipment, or using equipment under unsafe conditions can result in bodily injury, and/or death. Buyer alone is responsible for determining what equipment to use. Buyer acknowledges that Seller does not customarily affix to Goods warnings labels that set forth hazards related to use of Goods themselves or intended contents ("Product Warnings"), because, as Buyer hereby acknowledges, Seller is not aware of the ultimate use of Goods or contents with which Goods will be filled. Buyer further acknowledges that Buyer has a duty to warn end-users about dangers inherent in filling and using high-pressure gas cylinders, including a duty to warn end-users about dangers related to filling cylinders with certain gases (including those designated as hazardous substances), and that Seller has no such duty. Buyer will be solely responsible for, and assumes all obligations for, and liability associated with, determining the use of Goods and the foreseeable maintenance and refilling risks, as well as affixing to Goods all appropriate warning labels, including those warning labels required by law and any appropriate Product Warnings. Buyer will defend, indemnify and hold Seller harmless against all claims and losses arising out of or related to (i) failure or alleged failure to provide or affix warning labels, including Product Warnings, on Goods, (ii) any deficiencies in warning labels provided or affixed to Goods, or (iii) Seller's act of providing or/and affixing warning labels to Goods in accordance with Buyer's specifications, including causes of action in negligence, tort, product liability, strict liability or warranty.

10. Force Majeure. The Seller is not responsible for any failure or delay in performing this Agreement if caused by acts or circumstances beyond the reasonable control of Seller.

11. Governing Law. All matters arising out of or relating to this Agreement is governed by and construed in accordance with the internal laws of the State of Minnesota without giving effect to any choice or conflict of law provision or rule.

ALL SAFE GLOBAL, LLC

Headquarters

26542 Fallbrook Lane
Wyoming, MN 55092

Minneapolis Service Center

26443 Fallbrook Avenue
Wyoming, MN 55092

Phoenix Service Center

4209 E. University Drive
Phoenix, AZ 85034

Email: sales@allsafe.net

Website: allsafe.net

Toll-Free: 866-958-3473

Fax: 651-408-7163

Facebook: <https://www.facebook.com/allsafeinc/>

Twitter: <https://twitter.com/allsafeinc>

LinkedIn: <https://www.linkedin.com/company/all-safe-inc-/>

